

Clarification of the Immunization Status of Children and Compliance with State Law

The following definitions have been developed by the Illinois Department of Public Health to clarify the difference between (1) being protected against the specific immunizable diseases and in compliance, (2) being unprotected and in compliance, and (3) being unprotected and in noncompliance.

In addition to being in compliance relative to immunizations, children must receive physical examinations prior to entering Illinois schools for the first time, prior to the date of entering kindergarten or first grade, prior to entering sixth grade, and prior to entering ninth grade. Children who have not received physical examinations, as required, are considered to be in noncompliance whether or not they have received the required immunizations.

POLIO (IPV/OPV)			
CHILD CARE PROGRAMS BELOW KINDERGARTEN LEVEL (AGE 2 OR OLDER). INCLUDES NURSERY SCHOOLS, PRESCHOOL PROGRAMS, EARLY CHILDHOOD PROGRAMS AND HEAD START. STUDENTS ENTERING AT ANY GRADE LEVEL (K-12)	PROTECTED AND IN COMPLIANCE	UNPROTECTED AND IN COMPLIANCE*	UNPROTECTED AND IN NONCOMPLIANCE*
	<p>Has received three or more doses of Polio (IPV/OPV) administered at intervals of no less than four weeks apart.</p> <p>Has received four or more doses of any combination of IPV and OPV, <u>or</u> three or more doses of all-IPV or all-OPV, at intervals of no less than four weeks apart, with the last dose having been received on or after the 4th birthday.</p>	<p>Has received at least one dose of Polio (IPV/OPV), but fewer than those required to be PROTECTED AND IN COMPLIANCE, but has presented a schedule from a physician or clinic indicating the date(s) to complete the required doses; or a statement that these immunizations are medically contraindicated; or a statement detailing the parent(s)' or guardian(s)' objection on religious grounds.</p>	<p>Has received fewer than the required immunizations, or has failed to provide proof of vaccine history, and has not presented a schedule from a physician or clinic indicating the date(s) for receiving these immunizations, nor a statement that these immunizations are medically contraindicated, nor a statement detailing the parent(s)' or guardian(s)' objection on religious grounds.</p>
DIPHTHERIA, TETANUS, PERTUSSIS (DTP/DTaP)			
CHILD CARE PROGRAMS BELOW KINDERGARTEN LEVEL (AGE 2 OR OLDER). INCLUDES NURSERY SCHOOLS, PRESCHOOL PROGRAMS, EARLY CHILDHOOD PROGRAMS AND HEAD START. KINDERGARTEN OR FIRST GRADE ALL OTHER GRADE LEVELS	PROTECTED AND IN COMPLIANCE	UNPROTECTED AND IN COMPLIANCE*	UNPROTECTED AND IN NONCOMPLIANCE*
	<p>Has received four doses of DTP/DTaP. The first three doses in the series must have been received no less than four weeks apart. The interval between the third and fourth <u>or final dose</u> must be at least six months.</p> <p>Has received four or more doses of DTP/DTaP with the last dose being a booster and having been received on or after the 4th birthday. The first three doses in the series must have been received no less than four weeks apart. The interval between the third and fourth <u>or final dose</u> must be at least six months.</p> <p>1. Has received three or more doses of DTP/DTaP or Td, with the last dose being a booster and having been received on or after the 4th birthday. The first two doses in the series must have been received no less than four weeks apart. The interval between the second and third <u>or final dose</u> must be at least six months.</p> <p>2. If 10 years have elapsed since the last booster, an additional Td booster is required.</p>	<p>Has received at least one dose of DTP/DTaP/Td but fewer than those required to be PROTECTED AND IN COMPLIANCE, but has presented a schedule from a physician or clinic indicating the date(s) to complete the required doses; or a statement that these immunizations are medically contraindicated; or a statement detailing the parent(s)' or guardian(s)' objection on religious grounds.</p>	<p>Has received fewer than the required immunizations, or has failed to provide proof of vaccine history, and has not presented a schedule from a physician or clinic indicating the date(s) for receiving these immunizations, nor a statement that these immunizations are medically contraindicated, nor a statement detailing the parent(s)' or guardian(s)' objection on religious grounds.</p>

*Students in either the Unprotected and in Compliance or Unprotected and in Noncompliance column must be placed on the susceptible list for that disease.

MEASLES (RUBEOLA)

<p>CHILD CARE PROGRAMS BELOW KINDERGARTEN LEVEL (AGE 2 OR OLDER). INCLUDES NURSERY SCHOOLS, PRESCHOOL PROGRAMS, EARLY CHILDHOOD PROGRAMS AND HEAD START.</p> <p>STUDENTS ENTERING AT ANY GRADE LEVEL (K-12)</p>	<p>PROTECTED AND IN COMPLIANCE</p> <p>Has received one dose of measles vaccine on or after the 1st birthday, had physician diagnosed measles disease, or laboratory evidence of measles immunity. A diagnosis of measles disease made by a physician on or after July 1, 2002, must be confirmed by laboratory evidence.</p> <p>Has received two doses of measles vaccine, with the first dose on or after the 1st birthday and the second dose no less than 4 weeks after the first dose, had physician diagnosed measles disease, or laboratory evidence of measles immunity. A diagnosis of measles disease made by a physician on or after July 1, 2002, must be confirmed by laboratory evidence.</p>	<p>UNPROTECTED AND IN COMPLIANCE*</p> <p>Has not received, or provided proof of, measles vaccine as required, nor had physician diagnosed measles disease, nor has laboratory evidence of immunity, but has presented a statement from a physician or clinic indicating the date this immunization is scheduled; or that this immunization is medically contraindicated; or a statement detailing the parent(s)' or guardian(s)' objection on religious grounds.</p> <p>Has received at least one dose of measles vaccine, but fewer than those required to be PROTECTED AND IN COMPLIANCE, but has presented a schedule from a physician or clinic indicating the date to complete the required doses; or a statement that these immunizations are medically contraindicated; or a statement detailing the parent(s)' or guardian(s)' objection on religious grounds.</p>	<p>UNPROTECTED AND IN NONCOMPLIANCE*</p> <p>Has not received, or provided proof of, measles vaccine as required, nor had physician diagnosed measles disease, nor has laboratory evidence of immunity, and has not presented a schedule from a physician or clinic indicating the date for receiving this immunization, nor a statement that this immunization is medically contraindicated, nor a statement detailing the parent(s)' or guardian(s)' objection on religious grounds.</p>
---	---	---	---

RUBELLA (3 DAY)

<p>CHILD CARE PROGRAMS BELOW KINDERGARTEN LEVEL (AGE 2 OR OLDER). INCLUDES NURSERY SCHOOLS, PRESCHOOL PROGRAMS, EARLY CHILDHOOD PROGRAMS AND HEAD START.</p> <p>STUDENTS ENTERING AT ANY GRADE LEVEL (K-12)</p>	<p>PROTECTED AND IN COMPLIANCE</p> <p>Has received one dose of rubella vaccine on or after the 1st birthday or has laboratory evidence of rubella immunity.</p> <p>Has received one dose of rubella vaccine on or after the 1st birthday or has laboratory evidence of rubella immunity.</p>	<p>UNPROTECTED AND IN COMPLIANCE*</p> <p>Has not received, or provided proof of, rubella vaccine as required, nor has laboratory evidence of immunity, but has presented a statement from a physician or clinic indicating the date that this immunization is scheduled; or that this immunization is medically contraindicated; or a statement detailing the parent(s)' or guardian(s)' objection on religious grounds.</p>	<p>UNPROTECTED AND IN NONCOMPLIANCE*</p> <p>Has not received, or provided proof of, rubella vaccine as required, nor has laboratory evidence of immunity, and has not presented a schedule from a physician or clinic indicating the date for receiving this immunization, nor a statement that this immunization is medically contraindicated, nor a statement detailing the parent(s)' or guardian(s)' objection on religious grounds.</p>
---	---	--	--

MUMPS

<p>CHILD CARE PROGRAMS BELOW KINDERGARTEN LEVEL (AGE 2 OR OLDER). INCLUDES NURSERY SCHOOLS, PRESCHOOL PROGRAMS, EARLY CHILDHOOD PROGRAMS AND HEAD START.</p> <p>STUDENTS ENTERING AT ANY GRADE LEVEL (K-12)</p>	<p>PROTECTED AND IN COMPLIANCE</p> <p>Has received one dose of mumps vaccine on or after the 1st birthday, or had physician diagnosed mumps disease, or has laboratory evidence of mumps immunity.</p> <p>Has received one dose of mumps vaccine on or after the 1st birthday, had physician diagnosed mumps disease, or has laboratory evidence of mumps immunity.</p>	<p>UNPROTECTED AND IN COMPLIANCE*</p> <p>Has not received, or provided proof of, mumps vaccine as required, nor had physician diagnosed mumps disease, nor has laboratory evidence of immunity, but has presented a statement from a physician or clinic the date that this immunization is scheduled; or that this immunization is medically contraindicated; or a statement detailing the parent(s)' or guardian(s)' objection on religious grounds.</p>	<p>UNPROTECTED AND IN NONCOMPLIANCE*</p> <p>Has not received, or provided proof of, mumps vaccine as required, nor had physician diagnosed mumps disease, nor has laboratory evidence of immunity, and has not presented a schedule from a physician or clinic indicating the date for receiving this immunization, nor a statement that this immunization is medically contraindicated, nor a statement detailing the parent(s)' or guardian(s)' objection on religious grounds.</p>
---	--	--	---

*Students in either the Unprotected and in Compliance or Unprotected and in Noncompliance column must be placed on the susceptible list for that disease.

HEPATITIS B

<p>CHILD CARE PROGRAMS BELOW KINDERGARTEN LEVEL (AGE 2 OR OLDER). INCLUDES NURSERY SCHOOLS, PRESCHOOL PROGRAMS, EARLY CHILDHOOD PROGRAMS AND HEAD START.</p> <p>STUDENTS ENTERING 5th GRADE FOR THE FIRST TIME AFTER JULY 1997. (PreK and Grades 5-12 only).</p>	<p>PROTECTED AND IN COMPLIANCE</p> <p>Has received three doses of hepatitis B vaccine administered at the appropriate intervals, or has laboratory evidence of prior or current hepatitis B infection. The first two doses must have been received no less than 4 weeks apart, and the interval between the second and third dose must be two months. For students entering for the first time on or after July 1, 2002, the interval between the first and third dose must be at least 4 months. The third dose must have been administered on or after 6 months of age.</p> <p>Has received three doses of hepatitis B vaccine at the appropriate intervals or has laboratory evidence of prior or current hepatitis B infection. The first two doses must have been received no less than 4 weeks apart, and the interval between the second and third dose must be two months. For students entering the fifth grade for the first time on or after July 1, 2002, the interval between the first and third dose must be at least four months.</p>	<p>UNPROTECTED AND IN COMPLIANCE*</p> <p>Has not received, or provided proof of, hepatitis B vaccine as required, nor has laboratory evidence of prior or current hepatitis B infection, but has received at least one dose of hepatitis B vaccine and has presented a schedule from a physician or clinic indicating the date(s) to complete the required doses; or a statement that these immunizations are medically contraindicated; or a statement detailing the parent(s)' or guardian(s)' objection on religious grounds.</p>	<p>UNPROTECTED AND IN NONCOMPLIANCE*</p> <p>Has received fewer than the required immunizations, or has failed to provide proof of vaccine history, nor has laboratory evidence of prior or current hepatitis B infection, nor presented a schedule from a physician or clinic indicating date(s) for receiving these immunizations, nor a statement that these immunizations are medically contraindicated, nor a statement detailing the parent(s)' or guardian(s)' objection on religious grounds.</p>
---	--	--	---

HAEMOPHILUS INFLUENZAE TYPE B (Hib)

<p>CHILD CARE PROGRAMS BELOW KINDERGARTEN LEVEL (24-59 MONTHS OF AGE). INCLUDES NURSERY SCHOOLS, PRESCHOOL PROGRAMS, EARLY CHILDHOOD PROGRAMS AND HEAD START.</p> <p>STUDENTS ENTERING AT ANY GRADE LEVEL (K-12)</p>	<p>PROTECTED AND IN COMPLIANCE</p> <p>Has received the primary series of Hib vaccine according to the Hib vaccination schedule <u>or</u> a single dose of Hib vaccine between 15-59 months of age.</p> <p>Hib vaccine not required for children 5 years of age or older.</p>	<p>UNPROTECTED AND IN COMPLIANCE*</p> <p>Has not received, or provided proof of, Hib vaccine as indicated by the Hib vaccination schedule, but has presented a statement from a physician or clinic indicating the date that this immunization is scheduled; or that this immunization is medically contraindicated; or a statement detailing the parent(s)' or guardian(s)' objection on religious grounds.</p>	<p>UNPROTECTED AND IN NONCOMPLIANCE*</p> <p>Has not provided proof of Hib vaccine as indicated by the Hib vaccination schedule, and has not presented a schedule from a physician or clinic indicating a date for receiving this immunization, nor a statement that this immunization is medically contraindicated, nor a statement detailing the parent(s)' or guardian(s)' objection on religious grounds.</p>
--	--	--	--

*Students in either the Unprotected and in Compliance or Unprotected and in Noncompliance column must be placed on the susceptible list for that disease.

Vaccination Schedule for *Haemophilus influenzae* type b Conjugate Vaccines (Hib)

Note: Vaccines are interchangeable. Any combination of 3 doses of conjugate vaccine constitutes a primary series. Similarly, a DTP/Hib combination vaccine can be used in place of HbOC or PRT-T.

Vaccine	Age of 1 st Dose (months)	Primary Series	Booster	Total Number Of Doses
HbOC HibTITER® Wyeth/Lederle or DTP/HbOC TETRAMUNE® Wyeth/Lederle or PRP-T° ActHIB® Aventis Pasteur	2-6	3 doses, 2 months apart ¹	12-15 months ^{2,3}	4
	7-11	2 doses, 2 months apart ¹	12-18 months ^{2,3}	3
	12-14	1 dose	2 months later ³	2
OmniHib® GlaxoSmithKline	15-59	1 dose ⁴	None	1
PRP-OMP PedvaxHIB® Merck COMVAX® Merck	2-6	2 doses, 2 months apart ¹	12-15 months ^{2,3}	3
	7-11	2 doses, 2 months apart ¹	12-18 months ^{2,3}	3
	12-14	1 dose	2 months later ³	2
	15-59	1 dose ⁴	None	1
PRP-D ProHIBIT® Aventis Pasteur	15-59	1 dose ⁴	None	1

1. Minimally acceptable interval between doses is 4 weeks.
2. At least 2 months after previous dose.
3. After the primary infant Hib vaccine series is completed, any of the licensed Hib conjugate vaccines may be used as a booster dose.
4. Children 15-59 months of age should receive only a single dose of Hib vaccine.

October/2006

Progression of Varicella Vaccine Requirement

2002-2003 K
2003-2004 K 1
2004-2005 K 1 2
2005-2006 K 1 2 3
2006-2007 K 1 2 3 4
2007-2008 K 1 2 3 4 5
2008-2009 K 1 2 3 4 5 6
2009-2010 K 1 2 3 4 5 6 7
2010-2011 K 1 2 3 4 5 6 7 8
2011-2012 K 1 2 3 4 5 6 7 8 9
2012-2013 K 1 2 3 4 5 6 7 8 9 10
2013-2014 K 1 2 3 4 5 6 7 8 9 10 11
2014-2015 K 1 2 3 4 5 6 7 8 9 10 11 12