

Samples to Success

Sample items provide valuable insight into how students engage with different texts, tasks, and contexts, highlighting the types of opportunities they need for success in the classroom. These items offer a shared reference point for understanding proficiency expectations, complementing the assessment's role in measuring learning. By analyzing items alongside performance data, educators can gain a deeper understanding of students' strengths and areas for growth. Students thrive in environments rich with diverse materials, challenges that vary in task type, and multiple avenues for demonstrating understanding. High-quality instruction, aligned with the learning goals, is the most effective way to support students' growth and prepare them for success.



The items featured in this rubric are a mix of items representative of those found on the IAR and items appropriate for classroom instruction to support and build the skills measured on the IAR. The distinction between a student scoring proficient and above proficient on the IAR is primarily determined by the total points earned on items that require modeling and/or reasoning. Students who can effectively explain and demonstrate their thinking are most likely to earn these points.

Functions

8.F.1-1

Expectation at Proficient:

Determine whether a relation is a function.

Below Proficient

Sarah is comparing the number of apples and oranges she has. She knows that for every 3 apples, there are 5 oranges.

If Sarah has 6 apples, how many oranges does she have?

- A. 2
- B. 8
- C. 9
- D. 10

Approaching Proficient

The table shows a relation.

Input	Output
-1	2
3	-1
1	2
-2	3
-1	1

The relation is not a function. Which input provides evidence that the relation is not a function?

- A. -1
- B. 3
- C. 1
- D. -2

Proficient

The table shows a relation.

Input	Output
-1	2
3	-1
1	2
-2	3
-1	1

Which statement about the relation is correct?

- A. The relation is a function because each input has exactly one output.
- B. The relation is a function because each output has exactly one input.
- C. The relation is not a function because one input has more than one output.
- D. The relation is not a function because one output has more than one input.

Above Proficient

The table shows a relation.

Input	Output
1	2
2	3
3	4
4	4

Is the relation a function?

If not, explain why not?

If so, is it a one-to-one function? Explain why or why not.

Functions


8.F.1-2

Expectation at Proficient:

Graph the set of ordered pairs consisting of an input and the corresponding output.

Below Proficient

A coordinate plane and points A, B, and C are shown.




Complete the table of input and output values for the points A, B, and C.

Point	Input	Output
A	-3	
B		3
C		

Approaching Proficient

A coordinate plane and points A, B, and C are shown.



Complete the table of input and output values for the points A, B, and C.

Point	Input	Output
A		
B		
C		

Proficient

A table of input and output values for a relation is shown.

Input	Output
-1	2
3	-1
1	2
-2	3
-1	1

Graph the set of ordered pairs in the table on a coordinate plane.

Above Proficient

A function is shown.

$$f(x) = 2x^2 + 3$$

Evaluate the function for the following inputs values.

$$f(1) = \underline{\quad}$$

$$f(2) = \underline{\quad}$$

$$f(-2) = \underline{\quad}$$

Functions

8.F.2
Expectation at Proficient:

Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions)

Below Proficient

Two linear functions are shown.

Function 1

$$y = \frac{4}{3}x + 2$$

Function 2

x	y
-3	-2.5
-1	0.5
2	5
4	8

Which function has the greater output when the input is 2?

Approaching Proficient

Two linear functions are shown.

Function 1

$$y = \frac{4}{3}x + 2$$

Function 2

x	y
-3	-2.5
-1	0.5
2	5
4	8

Which function has the greater y-intercept?

Proficient

Two linear functions are shown.

Function 1

$$y = \frac{4}{3}x + 2$$

Function 2

x	y
-3	-2.5
-1	0.5
2	5
4	8

Which function has the higher rate of change? Explain how you know.

Above Proficient

Two linear functions are shown.

Function 1

$$y = \frac{4}{3}x + 2$$

Function 2

x	y
-3	-2.5
-1	0.5
2	5
4	8

Graph each function on the same coordinate plane.

Compare and contrast their graphs analyzing the slope and y-intercept of each.

Functions

8.F.3
Expectation at Proficient:

Interpret the equation $y = mx + b$ as defining a linear function, whose graph is a straight line; give examples of functions that are not linear.

Below Proficient

Choose the term that best completes the statement.

The graph of the function $y = 3x + 2$ is (linear, non-linear).

Approaching Proficient

Which equation represents a function that is linear?

A. $y = 2x^2 + 5 - 3x^3$

B. $y = \frac{1}{x}$

C. $y = \sqrt{x}$

D. $y = 3x + 2$

Proficient

Which equations represent functions that are linear?

Select **all** that apply.

A. $y = x$

B. $2y = \frac{1}{2}x$

C. $y = x^2$


D. $y = \frac{1}{x}$

E. $y = \frac{1}{3} - 5x$

F. $y = 2x^2 + 5 - 3x^3$

Above Proficient

The graph of a function is shown.



Describe the domain and range of the function.

For what intervals in the function increasing and decreasing?

Explain if the function is linear or non-linear.

Functions

8.F.4

Expectation at Proficient:

Construct a function to model a linear relationship between two quantities. Determine the rate of change and initial value of the function from a description of a relationship or from two (x, y) values, including reading these from a table or from a graph.

Below Proficient

A function is given.

$$y = \frac{1}{2}x + 2$$

What is the slope and y-intercept of the function?

Slope: _____

y-intercept: _____

Approaching Proficient

Write an equation in $y = mx + b$ form of a function with a slope of $\frac{1}{2}$ and a y-intercept at $(0,2)$.

Proficient

To ship a package, a company charges a one-time fee plus a fee based on the weight of the package. This table shows the total shipping costs for four packages of different weights.

Shipping Costs

Weight of Package (pounds)	Total Shipping Cost (dollars)
4	\$11.00
8	\$17.00
12	\$23.00
16	\$29.00

What is the rate of change of the shipping cost, in dollars per pound?

What is the initial value of the function?

Above Proficient

The following table shows the number of hours a student spends studying and the corresponding score they received on a test.

Hours studied (x)	Test score (y)
0	50
1	55
2	60
3	65
4	70

Write an equation in slope-intercept form to model the relationship.

Make a conjecture about the data using the slope and initial value.

Functions


8.F.5-1

Expectation at Proficient:

Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear).

Below Proficient

The graph shows y as a function of x .




Which term best describes the behavior of the graph?

- A. increasing
- B. decreasing
- C. constant
- D. undefined

Approaching Proficient

The graph shows y as a function of x .




Over the interval $x=1$ to $x=3$, which term best describes the behavior of the graph?

- A. increasing
- B. decreasing
- C. constant
- D. undefined

Proficient

The graph shows y as a function of x .




F or which interval is the function decreasing?

- A. $-7 < x < -3$
- B. $1 < x < 3$
- C. $3 < x < 5$
- D. $5 < x < 7$


Above Proficient

The graph shows y as a function of x .



Analyze the graph of the function by identifying the domain and range and explaining intervals of increase and decrease.





Functions

8.F.5-2	Below Proficient	Approaching Proficient	Proficient	Above Proficient
<p>Expectation at Proficient:</p> <p>Sketch a graph that exhibits the qualitative features of a function that has been described verbally.</p>	<p>Sketch a graph of the function with the following features:</p> <p>y-intercept: (0,4)</p> <p>Slope: $\frac{4}{5}$</p>	<p>A function is shown.</p> $y = \frac{4}{5}x + 4$ <p>Graph the function on a coordinate plane.</p>	<p>The graph of a function is made up of two connected line segments. The y -intercept of the graph is 4. From $x = 0$ to $x = 5$, the slope of the graph is $\frac{4}{5}$. From $x = 5$ to $x = 10$, the slope of the graph is $-\frac{2}{5}$.</p> <p>Graph the given function on a coordinate plane.</p>	<p>The graph of a linear function is shown.</p>  <p>Describe a real-world situation that would be represented by the given graph.</p>

The Number System

8.NS.1	Below Proficient	Approaching Proficient	Proficient	Above Proficient
<p>Expectation at Proficient:</p> <p>Convert a fraction with a double-digit dividend and a single digit divisor into rational or irrational numbers that have decimal expansions up to 3 or more place values and convert decimals with 3 or more place values into fractions.</p>	<p>Which division problem is created with the fraction $\frac{6}{13}$?</p> <p>A. $1 \div \frac{6}{13}$</p> <p>B. $13 \div 6$</p> <p>C. $6 \div 13$</p> <p>D. $6 \div \frac{6}{13}$</p>	<p>Which fraction is equivalent to $0.\overline{318}$?</p> <p>A. $\frac{8}{21}$</p> <p>B. $\frac{7}{22}$</p> <p>C. $\frac{6}{23}$</p> <p>D. $\frac{5}{24}$</p>	<p>Which number is equivalent to $\frac{22}{3}$?</p> <p>A. 0.136</p> <p>B. $0.\overline{136}$</p> <p>C. 7.3</p> <p>D. $7.\overline{3}$</p>	<p>Convert 0.3756 into a fraction. Simplify the fraction.</p>

The Number System

8.NS.2	Below Proficient	Approaching Proficient	Proficient	Above Proficient
<p>Expectation at Proficient:</p> <p>Compare rational and irrational numbers to two decimal places on a number line.</p>	<p>The number line shows the location of points J, K, L, and M.</p>  <p>Which point represents a value that is between 0 and 1?</p>	<p>The number line shows the location of points J, K, L, and M.</p>  <p>Which point best represents a value that is less than 1?</p>	<p>The number line shows the location of points J, K, L, and M.</p>  <p>Which point best represents $\sqrt{3}$?</p>	<p>The number line shows the location of points J, K, L, and M.</p>  <p>Which point best represents each of the following values?</p> <ol style="list-style-type: none"> 1. $\sqrt{3}$ 2. $1.006 + 0.894$ 3. $\frac{16}{18}$ 4. $2(0.575)$

Expressions & Equations

8.EE.1	Below Proficient	Approaching Proficient	Proficient	Above Proficient
<p>Expectation at Proficient:</p> <p>Evaluate and generate equivalent numerical expressions using and applying properties of integer exponents.</p>	<p>What is the equivalent value of $5^7 \cdot 5^{-4}$?</p> <p>A. 5^3</p> <p>B. 5^{11}</p> <p>C. 5^{28}</p> <p>D. 5^{-28}</p>	<p>Simplify $5^7 \cdot 5^{-4}$.</p>	<p>Which expression is equivalent to 5^3?</p> <p>Select all that apply.</p> <p>A. $5^7 \cdot 5^{-4}$</p> <p>B. $\frac{5^{12}}{5^4}$</p> <p>C. $5 + 5^2$</p> <p>D. $5^0 \cdot 5^3$</p> <p>E. $5^3 - 5^0$</p>	<p>A scientist is studying bacteria growth. The bacteria population doubles every hour. If there are initially 500 bacteria, the population after t hours can be modeled by the expression:</p> 500×2^t <p>After 3 hours, how many bacteria will there be? Use the properties of exponents to evaluate the expression.</p>

Expressions & Equations

8.EE.2	Below Proficient	Approaching Proficient	Proficient	Above Proficient
<p>Expectation at Proficient:</p> <p>Solve equations using square root and cube root symbols to represent solutions (solutions are positive rational numbers) and solutions are perfect squares or perfect cubes.</p> <p>Evaluate perfect squares and perfect cubes.</p>	<p>Evaluate each radical.</p> $\sqrt{36} = \underline{\hspace{2cm}}$ $\sqrt[3]{8} = \underline{\hspace{2cm}}$	<p>An equation is partially solved.</p> $x^3 = \frac{64}{27}$ $\frac{\sqrt[3]{64}}{\sqrt[3]{27}} = \underline{\hspace{2cm}}$ <p>Which value completes the equation?</p> <p>A. $\frac{64}{27}$</p> <p>B. $\frac{8}{3}$</p> <p>C. $\frac{4}{3}$</p> <p>D. $\frac{2}{1}$</p>	<p>Two equations are shown.</p> $x^3 = \frac{64}{27}$ <p>What value(s) of x makes the equation true?</p> $y^2 = 36$ <p>What value(s) of y makes the equation true?</p>	<p>A globe of the earth is in the shape of a sphere. The globe has a radius of 10 inches. The formula to determine the volume of a sphere is $V = \frac{4}{3}\pi r^3$ where V represents the volume and r represents the radius.</p> <p>What is the volume, in cubic inches, of the globe to the nearest tenth?</p>

Expressions & Equations

8.EE.3	Below Proficient	Approaching Proficient	Proficient	Above Proficient
<p>Expectation at Proficient:</p> <p>Use numbers expressed in scientific notation to estimate very large and very small quantities.</p> <p>Express how many times as much one number, written in scientific notation is than another number written in scientific notation.</p>	<p>Which number written in scientific notation is equivalent to 5,000?</p> <p>A. 5×10^{-3}</p> <p>B. 5×10^{-2}</p> <p>C. 5×10^2</p> <p>D. 5×10^3</p>	<p>A number written in scientific notation is shown.</p> <p style="text-align: center;">2.9×10^5</p> <p>Which value represents the best estimate of the number in standard form?</p> <p>A. 0.00003</p> <p>B. 0.0003</p> <p>C. 300,000</p> <p>D. 3,000,000</p>	<p>The body of a 154-pound person contains approximately 2×10^{-1} milligrams of gold and 6×10^1 milligrams of aluminum.</p> <p>Write each value in standard form.</p>	<p>The body of a 154-pound person contains approximately 2×10^{-1} milligrams of gold and 6×10^1 milligrams of aluminum.</p> <p>Based on this information, the number of milligrams of aluminum in the body is how many times the number of milligrams of gold in the body?</p>

Expressions & Equations

8.EE.4-1 8.EE.4-2	Below Proficient	Approaching Proficient	Proficient	Above Proficient
<p>Expectation at Proficient:</p> <p>Perform operations with numbers expressed in scientific notation including problems where both decimal and scientific notation are used.</p> <p>Choose units of appropriate size for measurements of very large or very small quantities.</p> <p>Interpret scientific notation that has been generated by technology.</p>	<p>A number written in scientific notation is shown.</p> <p>4×10^3</p> <p>Which number is equivalent to 4×10^3?</p> <p>A. 40</p> <p>B. 400</p> <p>C. 4,000</p> <p>D. 40,000</p>	<p>Jackson drives 3×10^3 miles on Monday and 2×10^3 miles on Tuesday.</p> <p>What is the total number of miles, written in scientific notation, Jackson drives both days?</p>	<p>A carpenter bought 750 nails. Each nail has a mass of 5.2×10^{-3} kilogram.</p> <p>What is the total mass, in kilograms, of the nails the carpenter bought? Write your answer as a decimal.</p>	<p>A carpenter bought 750 nails. Each nail has a mass of 5.2×10^{-3} kilogram.</p> <p>What is the total mass, in kilograms, of the nails the carpenter bought? Write your answer in scientific notation.</p>

Expressions & Equations

8.EE.5-1

8.EE.5-2


Expectation at Proficient:

Graph proportional relationships; interpret the unit rate as the slope of the graph.

Compare two different real world proportional relationships represented in different ways.

Below Proficient

The graph shows the amount of gasoline, in gallons, x , and the total cost in dollars, y , of gasoline at Gas Station P.



Complete the sentence:


The relationship between the amount of gasoline and the total cost is (proportional/not proportional).

Approaching Proficient

The graph and table show the amount of gasoline, in gallons, x , and the total cost in dollars, y , of gasoline at two gas stations.

Gas Station M

x	y
5	19.00
10	38.00
15	57.00




What is the cost, in dollars, to buy 5 gallons of gasoline at each station?

Proficient

The graph and table show the amount of gasoline, in gallons, x , and the total cost in dollars, y , of gasoline at two gas stations.

Gas Station M

x	y
5	19.00
10	38.00
15	57.00



What is the unit price of gasoline at each station?


Which station charges more for gasoline per gallon?

Above Proficient

The graph and table show the amount of gasoline, in gallons, x , and the total cost in dollars, y , of gasoline at two gas stations.

Gas Station M

x	y
5	19.00
10	38.00
15	57.00



Benji needs to fill 4 gasoline canisters that hold 3 gallons each. From which gasoline station should he buy the gasoline to reduce the cost? How much money, in dollars, will he save? Explain your answer.

Expressions & Equations


8.EE.6

Expectation at Proficient:

Use similar triangles to explain why the slope m is the same between any two distinct points on a non-vertical line in the coordinate plane.

Below Proficient

Determine if the relationship shown by the graph is proportional or non-proportional.




Select the best answer.

- A. The relationship is proportional because the graph is a straight line that passes through the origin.
- B. The relationship is proportional because the graph is a straight line that does **not** pass through the origin.
- C. The relationship is **not** proportional because the graph is a straight line that passes through the origin.
- D. The relationship is **not** proportional because the graph is a straight line that does **not** pass through the origin.

Approaching Proficient

Similar triangles ABE and BCD are shown on the coordinate plane. Line t passes through points A, B, and C.




Use the height and length of the triangles in the diagram to answer the questions.

What is the slope of line AB?

What is the slope of line BC?

Proficient

Similar triangles ABE and BCD are shown on the coordinate plane. Line t passes through points A, B, and C.



Use ratios of the side lengths of triangle ABE and triangle BCD to explain why the slope of segment \overline{AB} and the slope of segment \overline{BC} are the same.

Above Proficient

Sarah is starting a small business selling handmade bracelets. She charges a one-time fee of \$5 for materials, and each bracelet she sells costs an additional \$3 to make.

Write a linear equation to represent Sarah's total cost, C , in terms of the number of bracelets, b , she makes.

Graph the equation on a coordinate plane.

Interpret the meaning of the slope and y-intercept in the context of Sarah's business.

Expressions & Equations

8.EE.7b Expectation at Proficient:	Below Proficient	Approaching Proficient	Proficient	Above Proficient
<p>Solve multi-step equations with rational coefficients and can use the distributive property.</p> <p>Solve and identify the solution set for a multi-step equation as one, no, or infinitely many solutions by simplifying an equation into the form $x = a$, $a = a$, or $a = b$ (where a and b are different values).</p>	<p>An equation is shown.</p> $-2(1 - 12x) = -2 + 24x$	<p>An equation is shown.</p> $-2(1 - 12x) = -2 + 24x$	<p>An equation is shown.</p> $-2(1 - 12x) = -4(1 - 6x)$	<p>An equation is shown.</p> $-2(1 - 12x) = -4(1 - 6x)$
	<p>Determine if each value is a solution to the equation.</p> <p>-2 _____</p> <p>0 _____</p> <p>2 _____</p>	<p>Determine whether the equation has no solution, one solution, or infinitely many solutions.</p>	<p>Determine whether the equation has no solution, one solution, or infinitely many solutions.</p>	<p>Determine whether the equation has no solution, one solution, or infinitely many solutions. Explain how you know.</p>

Expressions & Equations

8.EE.8a


Expectation at Proficient:

Analyze and solve pairs of simultaneous linear equations in two variables graphically, and identify the point of intersection as the values for the variables that will satisfy both equations.

Below Proficient

A system of equations is shown.

$$\begin{cases} y = -3x + 2 \\ y = \frac{1}{2}x - 3 \end{cases}$$




Which coordinate point represents the solution to the system?

- A. (0,2)
- B. (6,0)
- C. (-2,-4)
- D. (-4,-2)

Approaching Proficient

A system of equations is shown.

$$\begin{cases} y = -3x + 2 \\ y = \frac{1}{2}x - 3 \end{cases}$$



What coordinate point represents the solution to the system?

Proficient

A system of equations is shown.

$$\begin{cases} y = -3x + 2 \\ y = \frac{1}{2}x - 3 \end{cases}$$

Graph the system of equations.

What coordinate point represents the solution to the system?

Above Proficient

A system of equations is shown.

$$\begin{cases} y = -3x + 2 \\ y = \frac{1}{2}x - 3 \end{cases}$$

Graph the system of equations.

What coordinate point represents the solution to the system?

Algebraically justify your answer.

Expressions & Equations

8.EE.8b-1 8.EE.8b-2 8.EE.8b-3	Below Proficient	Approaching Proficient	Proficient	Above Proficient
<p>Expectation at Proficient:</p> <p>Identify, by inspection, a simple case of no or infinite solutions to a pair of simultaneous equations. For example, $3x + 2y = 5$ and $3x + 2y = 6$ cannot simultaneously be 5 and 6 and therefore have no solution.</p>	<p>A system of equations is shown.</p> $\begin{cases} 4x - y = 6 \\ y = 2x + 8 \end{cases}$ <p>What is the x-value of the solution of the system? Use substitution to solve the system of equations. The first step is done for you.</p> $4x - y = 6$ $4x - (2x + 8) = 6$ <p>A. 2 B. 4 C. 5 D. 7</p>	<p>A system of equations is shown.</p> $\begin{cases} 4x - y = 6 \\ y = 2x + 8 \end{cases}$ <p>Use substitution to solve the system of equations. The first step is done for you.</p> $4x - y = 6$ $4x - (2x + 8) = 6$	<p>A system of equations is shown.</p> $\begin{cases} 4x - y = 6 \\ -4x + y = 8 \end{cases}$ <p>Which statement correctly describes the system of equations shown?</p> <p>A. The system has no solution because the graph of the system represents the same line.</p> <p>B. The system has no solution because the graph of the system represents parallel lines.</p> <p>C. The system has infinitely many solutions because the graph of the system represents the same line.</p> <p>D. The system has infinitely many solutions because the graph of the system represents parallel lines.</p>	<p>A system of equations is shown.</p> $\begin{cases} 4x - y = 6 \\ y = 4x + 8 \end{cases}$ <p>Explain if the system has no solution, infinitely many solutions, or one solution.</p>

Expressions & Equations

8.EE.8c Expectation at Proficient:	Below Proficient	Approaching Proficient	Proficient	Above Proficient
<p>Solve real-world and mathematical problems leading to two linear equations in two variables. Solve by graphing algebraically and identify the solution and interpret the solution as it pertains to the real-world situation.</p>	<p>Tim has \$20 to buy snacks for 12 people in an office. Each person will get one snack. Tim is buying bags of pretzels that cost \$1.50 per bag and bags of crackers that cost \$2.00 per bag.</p> <p>Tim is buying x bags of pretzels and y bags of crackers.</p> $\begin{cases} 1.50x + 2.00y = 20 \\ x + y = 12 \end{cases}$ <p>Use the given system of equations to determine the value of x.</p> <p>A. 2 B. 4 C. 6 D. 8</p>	<p>Tim has \$20 to buy snacks for 12 people in an office. Each person will get one snack. Tim is buying bags of pretzels that cost \$1.50 per bag and bags of crackers that cost \$2.00 per bag.</p> <p>Tim is buying x bags of pretzels and y bags of crackers.</p> $\begin{cases} 1.50x + 2.00y = 20 \\ x + y = 12 \end{cases}$ <p>Use the given system of equations to determine the values of x and y.</p>	<p>Tim has \$20 to buy snacks for 12 people in an office. Each person will get one snack. Tim is buying bags of pretzels that cost \$1.50 per bag and bags of crackers that cost \$2.00 per bag.</p> <p>Tim is buying x bags of pretzels and y bags of crackers.</p> <p>Write a system of equations can be used to find the value of x and y?</p> <p>How many bags of pretzels does Tim buy?</p>	<p>Tim has \$20 to buy snacks for 12 people in an office. Each person will get one snack. Tim is buying bags of pretzels that cost \$1.50 per bag and bags of crackers that cost \$2.00 per bag.</p> <p>Tim is buying x bags of pretzels and y bags of crackers.</p> <p>Write a system of equations can be used to find the value of x and y?</p> <p>How many bags of pretzels and bags of crackers does Tim buy? Justify your answer graphically.</p>

Geometry


8.G.1a
8.G.1b
8.G.1c

Expectation at Proficient:

Verify congruence of a planar figure (line, line segment, angle, or parallel line) that has been rotated, reflected, or translated on a coordinate plane using physical models, transparencies, or geometry software.

Below Proficient

Parallelogram WXYZ is shown on the coordinate plane.




Which line segment is parallel to \overline{WX} ?

- A. \overline{WY}
- B. \overline{ZY}
- C. \overline{YX}
- D. \overline{ZX}

Approaching Proficient

Parallelogram WXYZ is shown on the coordinate plane.




Which transformation of parallelogram will create an image that is not congruent to parallelogram WXYZ.

- A. translation
- B. reflection
- C. rotation
- D. dilation

Proficient

Parallelogram WXYZ is shown on the coordinate plane.




Parallelogram $W'X'Y'Z'$ (not shown) is the reflection of parallelogram WXYZ across the y-axis. Which segment is parallel to $\overline{W'X'}$?

- A. $\overline{X'Y'}$
- B. $\overline{W'Z'}$
- C. $\overline{Y'X'}$
- D. $\overline{Z'Y'}$

Above Proficient

Parallelogram WXYZ is shown on the coordinate plane.



Sketch a congruent parallelogram for each of the following transformations.

1. translation left 10 units
2. reflection across the x-axis
3. rotation 180° about the origin

Explain how you know the preimage and image are congruent.

Geometry


8.G.2

Expectation at Proficient:

Demonstrate that a two-dimensional figure is congruent to another if the second can be obtained from the first by a sequence of rotations, reflections, and translations; given two congruent figures, describe a sequence that exhibits the congruence between them.

Below Proficient

Triangle ABC and its transformed image triangle A'B'C' are shown on the graph.




Complete the translation that maps triangle ABC to triangle A'B'C'.

Translate triangle ABC ____ units to the left and ____ units up.

Approaching Proficient


Triangle ABC and its transformed image triangle A'B'C' are shown on the graph.



Describe the transformation that maps triangle ABC to triangle A'B'C'?

Proficient


Three congruent figures are shown in the coordinate plane.



Describe a series of transformations that transforms figure 1 into figure 2.

Above Proficient


Three congruent figures are shown in the coordinate plane.



Describe a series of transformations that transforms figure 1 into figure 2.

Describe a series of transformations that transforms figure 1 into figure 3.

Geometry

8.G.3 Expectation at Proficient:	Below Proficient	Approaching Proficient	Proficient	Above Proficient
<p>Describe the effect of dilations, translations, rotations, and reflections on two-dimensional figures using coordinates.</p>	<p>Given the coordinate points for A, B, C, and D, graph rectangle ABCD on a coordinate plan.</p> <p>A. (2,5) B. (2,-5) C. (-2,-5) D. (-2,5)</p>	<p>Triangle ABC and its image are shown on the graph.</p>  <p>What are the coordinates of the image of triangle ABC after the reflection?</p> <p style="margin-left: 40px;">$A' = (_, _)$ $B' = (_, _)$ $C' = (_, _)$</p>	<p>The coordinates of a triangle ABC are A(2,1), B(2,5), and C(4,1).</p> <p>Triangle ABC is rotated 180° counterclockwise about the origin.</p> <p>What are the coordinates of the image of triangle ABC after the rotation?</p> <p style="margin-left: 40px;">$A' = (_, _)$ $B' = (_, _)$ $C' = (_, _)$</p>	<p>The coordinates of a triangle ABC are A(2,1), B(2,5), and C(4,1).</p> <p>Triangle ABC is rotated 180° counterclockwise about the origin.</p> <p>What are the coordinates of the image of triangle ABC after the rotation?</p> <p style="margin-left: 40px;">$A' = (_, _)$ $B' = (_, _)$ $C' = (_, _)$</p> <p>Describe the effects of the rotation on triangle ABC.</p>

Geometry


8.G.4

Expectation at Proficient:

Demonstrate that a two-dimensional figure is similar to another if the second can be obtained from the first by a sequence of rotations, reflections, translations, and dilations; given two similar two-dimensional figures, describe a sequence that exhibits the similarity between them.

Below Proficient


The graph of triangle KLM is shown.



Graph the image of triangle KLM after a reflection across the y-axis.

Approaching Proficient


The graph of triangle KLM is shown.



Graph the image of triangle KLM after a rotation of 180° centered at the origin, followed by a reflection across the x-axis.

Proficient


Three figures are shown on the coordinate plane.



Is figure 1 similar to figure 2? If so, describe a series of transformations to transform figure 1 into figure 2.

Above Proficient

Three figures are shown on the coordinate plane.



Is figure 1 similar to figure 2? If so, describe a series of transformations to transform figure 1 into figure 2.

Is figure 1 similar to figure 3? If so, describe a series of transformations to transform figure 1 into figure 3.

Geometry


8.G.5

Expectation at Proficient:

Use informal arguments to establish facts about the angle sum and exterior angle of triangles, about the angles created when parallel lines are cut by a transversal, and the angle-angle criterion for similarity of triangles. For example, arrange three copies of the same triangle so that the sum of the three angles appears to form a line, and give an argument in terms of transversals why this is so.

Below Proficient

A triangle and some angle measures, in degrees, are shown.




What is the value of x ?

Which name best describes the triangle?

- A. right
- B. acute
- C. obtuse
- D. equiangular

Approaching Proficient

One side of a triangle lies along line h . The measure of angle 4 is 120° .




Determine if each statement is true or false.

- $m\angle 3 = 60^\circ$ _____
- $m\angle 5 = 60^\circ$ _____
- $m\angle 6 = 60^\circ$ _____
- $m\angle 1 + m\angle 2 = 120^\circ$ _____

Proficient

One side of a triangle lies along line h . The measure of angle 4 is 120° .




Determine the measure, in degrees, of angles 3, 4, and 5. Determine the sum of angles 1 and 2.

- $m\angle 3 =$ ____
- $m\angle 5 =$ ____
- $m\angle 6 =$ ____
- $m\angle 1 + m\angle 2 =$ ____

Above Proficient

One side of a triangle lies along line h . The measure of angle 4 is 120° .






Jada claims that

$$m\angle 1 + m\angle 2 > m\angle 4.$$





Explain why Jada's claim is incorrect.

What is the correct relationship between $m\angle 1$, $m\angle 2$ and $m\angle 4$?

Geometry

8.G.6 Expectation at Proficient:	Below Proficient	Approaching Proficient	Proficient	Above Proficient
<p>Expectation at Proficient:</p> <p>Explain a proof of the Pythagorean Theorem and its converse.</p>	<p>Which equation represents the Pythagorean theorem, a true statement for the right triangle shown?</p>  <p>A. $a^2 + b^2 = c^2$ B. $a^2 - b^2 = c^2$ C. $a^2 + b^2 > c^2$ D. $a^2 - b^2 > c^2$</p>	<p>A triangle is shown.</p>  <p>Use the Pythagorean theorem to explain why the triangle is a right triangle.</p>	<p>A triangle is shown.</p>  <p>Use the Pythagorean theorem to complete the following statements.</p> <p>If triangle ABC is a right triangle, the $a^2 + b^2 = \underline{\hspace{2cm}}$.</p>	<p>A 10-ft ladder rests against a building. The base of the ladder is 6 feet from the building.</p> <p>Explain how the Pythagorean theorem can be used to determine the height, in feet, of the ladder resting on the building.</p>

Geometry

8.G.7 Expectation at Proficient:	Below Proficient	Approaching Proficient	Proficient	Above Proficient
<p>Expectation at Proficient:</p> <p>Apply the Pythagorean Theorem to determine unknown side lengths in right triangles in real-world and mathematical problems in two and three dimensions.</p>	<p>A right triangle and some side lengths, in units, are shown.</p>  <p>Use the Pythagorean theorem to determine the length, in units, of the missing side, x.</p> <p>A. 7 B. 9 C. 10 D. 12</p>	<p>A right triangle and some side lengths, in units, are shown.</p>  <p>Determine the length in units, of the missing side, x.</p> <p>A. 9 B. 10 C. 12 D. 15</p>	<p>Cory's garden is in the shape of a right triangle (as shown). One side of the garden is 39 feet, and another side length is 40 feet.</p>  <p>How long is the unknown side, x, in feet?</p>	<p>Cory's garden is in the shape of a right triangle (as shown). One side of the garden is 39 feet, and another side length is 40 feet.</p>  <p>What is the perimeter, in feet, of the garden?</p>


Geometry

8.G.8
Expectation at
Proficient:

Apply the
Pythagorean
Theorem to find
the distance
between two
points in a
coordinate
system.

Below Proficient


A segment is graphed on a coordinate plane as shown.



Draw a right triangle by plotting a third point, N , with hypotenuse \overline{MP} .

Approaching Proficient

A segment is graphed on a coordinate plane as shown.



Draw a right triangle by plotting a third point, N , with hypotenuse \overline{MP} .


Determine the length of each segment.

$$\overline{NM} = \underline{\hspace{2cm}}$$

$$\overline{NP} = \underline{\hspace{2cm}}$$

Proficient


A segment is graphed on a coordinate plane as shown.



Determine the length, in units, of \overline{MP} .

Above Proficient




A segment is graphed on a coordinate plane as shown.






Determine the length, in units, of \overline{MP} .

Use the Pythagorean theorem to explain your answer.

Geometry

8.G.9 Expectation at Proficient:	Below Proficient	Approaching Proficient	Proficient	Above Proficient
<p>Know the formulas for the volumes of cones, cylinders, and spheres and use them to solve real-world and mathematical problems.</p>	<p>Match the volume formula with its figure.</p>	<p>Three figures are shown.</p>	<p>Three figures are shown.</p>	<p>A water tank is in the shape of a cylinder and hemisphere as shown.</p>
	<p><u>Figure</u></p>	<p></p>	<p></p>	<p></p>
	<p><u>Volume Formula</u></p>	<p>Determine the volume, in cubic inches, of each figure. The formula for calculating each volume is shown.</p>	<p>Determine the volume, in cubic inches, of each figure.</p>	<p>What is the volume, in cubic feet, of the water tank?</p>
	<p>Cylinder</p> $V = \frac{1}{3}\pi r^2 h$ <p>Cone</p> $V = \frac{1}{3}\pi r^2 h$ <p>Sphere</p> $V = \pi r^2 h$	<p>Cylinder: $V = \pi r^2 h$</p> <p>Cone: $V = \frac{1}{3}\pi r^2 h$</p> <p>Sphere: $V = \frac{1}{3}\pi r^2 h$</p>		

Statistics & Probability

8.SP.1 Expectation at Proficient:	Below Proficient	Approaching Proficient	Proficient	Above Proficient
<p>Construct and interpret scatter plots for bivariate measurement data to investigate patterns of association between two quantities.</p>	<p>A scatter plot is shown.</p>  <p>True or False: The data in the scatter plot appear to have a negative, linear association.</p>	<p>A scatter plot is shown.</p>  <p>Choose the term that best complete the statement.</p> <p>As the x value increases, the y value (increases, decreases).</p>	<p>A scatter plot is shown.</p>  <p>Which statement correctly describes the association in the scatter plot.</p> <p>A. The data have a nonlinear association.</p> <p>B. The data have a negative association.</p> <p>C. The data have no association.</p> <p>D. The data have an outlier.</p>	<p>Find a bivariate data set. Graph the points on a coordinate plane.</p> <p>Describe patterns such as clustering, outliers, positive or negative association, linear association, and nonlinear association.</p>

Statistics & Probability

8.SP.2


Expectation at Proficient:

Use a straight line to model relationships between two quantitative variables. For scatter plots that suggest a linear association, informally fit a straight line.


Below Proficient

The scatterplots show the number of students at a middle school over time.

Which graph best shows the line of best fit for the data?




A.



B.

Approaching Proficient


The scatterplot shows the number of students at a middle school over time.



A line is drawn on the scatterplot. Is the line a good representation of the line of best fit? Explain why or why not?

Proficient


The scatterplot shows the number of students at a middle school over time.



Sketch the line of best fit for the data.

Above Proficient

The scatterplot shows the number of students at a middle school over time.



Sketch the line of best fit for the data.

Explain why the line you drew is an accurate line of best fit.

Statistics & Probability

	Below Proficient	Approaching Proficient	Proficient	Above Proficient										
<p>8.SP.3 Expectation at Proficient:</p> <p>Use the equation of a linear model to solve problems in the context of bivariate measurement data, interpreting the slope and intercept.</p>	<p>A local gym charges an initial fee of \$65 and \$32.50 for each month of membership.</p> <p>Which equation best models this situation where y is the total cost, in dollars, for a membership for a certain number of months, x.</p> <p>A. $y = 65x + 32.50$ B. $y = 32.50x + 65$ C. $x = 65y + 32.50$ D. $x = 32.50y + 65$</p>	<p>In one city, the cost for a gym membership is given by the equation $y = 32.50x + 65$, where y is the total cost, in dollars, for a membership for a certain number of months, x.</p> <p>What is the cost, in dollars, of a gym membership for 6 months?</p>	<p>In one city, the cost for a gym membership is given by the equation $y = 32.50x + 65$, where y is the total cost, in dollars, for a membership for a certain number of months, x.</p> <p>What does the slope represent?</p> <p>What does the y-intercept represent?</p> <p>What is the cost, in dollars, of a gym membership for 6 months?</p>	<p>A gym collects data on the number of hours a person exercises, x, and the number of calories they burn, y.</p> <p>Alex and Beth record the data in the table.</p> <table border="1" style="margin: 10px auto; border-collapse: collapse;"> <tr> <td style="padding: 2px;">Alex</td> <td style="padding: 2px;">(1,210)</td> <td style="padding: 2px;">(2,395)</td> <td style="padding: 2px;">(3,605)</td> <td style="padding: 2px;">(4,790)</td> </tr> <tr> <td style="padding: 2px;">Beth</td> <td style="padding: 2px;">(1,150)</td> <td style="padding: 2px;">(2,300)</td> <td style="padding: 2px;">(3,450)</td> <td style="padding: 2px;">(4,600)</td> </tr> </table> <p>An equation is given for each student is given.</p> <p>Alex: $y = 200x$ Beth: $y = 150x$</p> <p>Sketch the data points and a line of best fit for each data set.</p> <p>Interpret the slope and y-intercept.</p> <p>Which equation provides a better fit to the data? Justify your answer.</p>	Alex	(1,210)	(2,395)	(3,605)	(4,790)	Beth	(1,150)	(2,300)	(3,450)	(4,600)
Alex	(1,210)	(2,395)	(3,605)	(4,790)										
Beth	(1,150)	(2,300)	(3,450)	(4,600)										

Statistics & Probability

	Below Proficient	Approaching Proficient	Proficient	Above Proficient																																																																												
<p>8.SP.4 Expectation at Proficient:</p> <p>Represent frequencies and relative frequencies in a two-way table. Construct and interpret a two-way table summarizing data on two categorical variables collected from the same subjects.</p>	<p>A survey of 7th and 8th grade students asked whether they were in favor of or against school uniforms. The two-way table shows the results.</p> <p style="text-align: center;">Survey Results</p> <table border="1" style="margin: 10px auto; border-collapse: collapse; text-align: center;"> <thead> <tr> <th rowspan="2">Grade</th> <th colspan="3">Number of Students</th> </tr> <tr> <th>In Favor</th> <th>Against</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td>7th</td> <td>48</td> <td>64</td> <td>112</td> </tr> <tr> <td>8th</td> <td>68</td> <td>70</td> <td>138</td> </tr> <tr> <td>Total</td> <td>116</td> <td>134</td> <td>250</td> </tr> </tbody> </table> <p>How many of the 7th grade students were in favor of wearing school uniforms?</p>	Grade	Number of Students			In Favor	Against	Total	7th	48	64	112	8th	68	70	138	Total	116	134	250	<p>A survey of 7th and 8th grade students asked whether they were in favor of or against school uniforms. The two-way table shows the results.</p> <p style="text-align: center;">Survey Results</p> <table border="1" style="margin: 10px auto; border-collapse: collapse; text-align: center;"> <thead> <tr> <th rowspan="2">Grade</th> <th colspan="3">Number of Students</th> </tr> <tr> <th>In Favor</th> <th>Against</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td>7th</td> <td>48</td> <td>64</td> <td>112</td> </tr> <tr> <td>8th</td> <td>68</td> <td>70</td> <td>138</td> </tr> <tr> <td>Total</td> <td>116</td> <td>134</td> <td>250</td> </tr> </tbody> </table> <p>How many total students from both 7th grade and 8th grade were in favor of wearing school uniforms?</p>	Grade	Number of Students			In Favor	Against	Total	7th	48	64	112	8th	68	70	138	Total	116	134	250	<p>A survey of 7th and 8th grade students asked whether they were in favor of or against school uniforms. The two-way table shows the results.</p> <p style="text-align: center;">Survey Results</p> <table border="1" style="margin: 10px auto; border-collapse: collapse; text-align: center;"> <thead> <tr> <th rowspan="2">Grade</th> <th colspan="3">Number of Students</th> </tr> <tr> <th>In Favor</th> <th>Against</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td>7th</td> <td>48</td> <td>64</td> <td>112</td> </tr> <tr> <td>8th</td> <td>68</td> <td>70</td> <td>138</td> </tr> <tr> <td>Total</td> <td>116</td> <td>134</td> <td>250</td> </tr> </tbody> </table> <p>To the nearest tenth of a percent, what percent of the 7th grade students were in favor of wearing school uniforms?</p>	Grade	Number of Students			In Favor	Against	Total	7th	48	64	112	8th	68	70	138	Total	116	134	250	<p>A survey of 7th and 8th grade students asked whether they were in favor of or against school uniforms. The two-way table shows the results.</p> <p style="text-align: center;">Survey Results</p> <table border="1" style="margin: 10px auto; border-collapse: collapse; text-align: center;"> <thead> <tr> <th rowspan="2">Grade</th> <th colspan="3">Number of Students</th> </tr> <tr> <th>In Favor</th> <th>Against</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td>7th</td> <td>48</td> <td>64</td> <td>112</td> </tr> <tr> <td>8th</td> <td>68</td> <td>70</td> <td>138</td> </tr> <tr> <td>Total</td> <td>116</td> <td>134</td> <td>250</td> </tr> </tbody> </table> <p>Were 7th grade students or 8th grade students statistically more in favor of wearing school uniforms? Justify your answer using percents.</p>	Grade	Number of Students			In Favor	Against	Total	7th	48	64	112	8th	68	70	138	Total	116	134	250
Grade	Number of Students																																																																															
	In Favor	Against	Total																																																																													
7th	48	64	112																																																																													
8th	68	70	138																																																																													
Total	116	134	250																																																																													
Grade	Number of Students																																																																															
	In Favor	Against	Total																																																																													
7th	48	64	112																																																																													
8th	68	70	138																																																																													
Total	116	134	250																																																																													
Grade	Number of Students																																																																															
	In Favor	Against	Total																																																																													
7th	48	64	112																																																																													
8th	68	70	138																																																																													
Total	116	134	250																																																																													
Grade	Number of Students																																																																															
	In Favor	Against	Total																																																																													
7th	48	64	112																																																																													
8th	68	70	138																																																																													
Total	116	134	250																																																																													